ORTHO ORGANIZERS

1822 Aston Avenue

Carlsbad, CA 92008 Telephone: **1-800-547-2000**

1. Identification of the substance/device and manufacturer:

Product Use(s): Alloys for brazing and other metallurgical processes.

2. Hazards identification:

Skin Sensitization: Hazard Category 1B **Carcinogenicity:** Hazard Category 2

Specific Target Organ Toxicity, Single Exposure: Hazard Category 3

Label Symbol(s): Health Hazard, Exclamation Point

Label Signal Word(s): Warning Label Hazard Statement(s)

- May cause respiratory irritation.

- May Cause an allergic skin reaction.
- Suspected of causing cancer by inhalation.

Label Precaution Statement(s):

- Do not handle until all safety precautions have been read and understood.
- Obtain special instructions before use.
- Avoid breathing dust or fumes.
- Use only outdoors or in a well-ventilated area. Store locked up.
- Wear protective gloves and eye/face protection.
- If skin irritation or rash occurs, get medical advice or attention.
- If exposed or concerned, get medical advice/attention.

If on Skin: Wash with plenty of water. Wash contaminated clothing before reuse. Contaminated work clothing must not be allowed out of the workplace.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. Call a Poison Control Center or doctor if you feel unwell.

Dispose of contents and container in accordance with applicable regulations. 21-97% of the products consist of ingredient(s) of unknown acute toxicity.

Warning: These products contain chemicals known to the State of California to cause Cancer.

3. Composition, information on ingredients:

ev composition, mornimon on ingrations.			
Ingredient Name	CAS Number	%	Impurities
Copper	7440-50-8	19-95	None Known
Nickel	7440-02-2	<1-24	None Known
Silver	7440-22-4	1-55	None Known
Zinc	7440-66-6	2-44	None Known

4. First aid measures:

Eye Contact: Flush affected areas with water for at least 15 minutes. Seek medical assistance if necessary. **Skin Contact:** Remove contaminated clothing. Wash affected area with large quantities of water for at least 15 minutes. Seek medical attention if necessary. Launder or dry-clean clothing before reuse.

Ingestion: If subject is conscious, induce vomiting. If unconscious or convulsive, seek immediate medical assistance. Do not give anything by mouth to an unconscious or convulsive person.

Inhalation: If signs and symptoms of toxicity are observed, remove subject from area, administer oxygen, and seek medical attention. Keep the subject warm and at rest. Perform artificial respiration if breathing has stopped.

Note to Physician: None of the components are acutely toxic by ingestion, nor are they absorbed through the skin. Skin exposure may cause contact or allergic dermatitis and/or argyria.

5. Fire fighting measures:

Fire and Explosion Hazards: These products are non-flammable and non-explosive. If present in a fire or explosion, they may emit fumes of the constituent metals or their oxides.

Extinguishing Media: Use dry chemical. Do not use water.

Fire Fighting Instructions: If fighting a fire in which these product are present, wear a self-contained breathing apparatus with full face piece operated in pressure-demand or other positive pressure mode.

Telephone: 1-800-547-2000

ORTHO ORGANIZERS

1822 Aston Avenue Carlsbad, CA 92008

6. Accidental release measures:

Methods and Materials: If a finely-divided form of product is spilled, clean up spillage so as to minimize dispersion of dust. Either wet sweeping or vacuuming using HEPA filtration is recommended.

Personal Precaution: Avoid contact with skin, eyes, and mucous membranes.

Environmental Precaution: Prevent spills from entering sewers or contaminating soil.

7. Handling and storage:

Handling Precautions: No special handling precautions are required.

Work and Hygiene Practices: To prevent ingestion following use of the product, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing or protective equipment before entering eating/drinking areas.

Storage Precautions: Do not store in proximity to incompatible materials (see section #10)

8. Exposure controls/personal protection:

Ingredients – Exposure Limits

Copper:

ACGIH TLVs: 0.2 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists) **OSHA PELs:** 0.1 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists)

Nickel:

ACGIH TLV: 1.5 mg/m3 TWA **OSHA PEL:** 1 mg/m3 TWA

Silver

ACGIH TLV:0.1 mg/m3 TWA (metal) OSHA PEL:0.01 mg/m3 TWA

Zinc:

ACGIH TLVs (as ZnO): 2 mg/m3 TWA; 10 mg/m3 STE (respirable fractions) **OSHA PEL:**5 mg/m3 TWA (as respirable fraction of ZnO dust or fume)

<u>Ingredients – Biological Limits</u>

Copper: No ACGIH BEI(s) or other biological limit(s) **Nickel:** No ACGIH BIE(s) or other biological limit(s) **Silver:** No ACGIH BIE(s) or other biological limit(s) **Zinc:** No ACGIH BEI(s) or other biological limit(s)

Engineering Controls: Use dilution or local exhaust ventilation adequate to maintain concentrations of all components and their by products to within their applicable standards.

Eye/Face Protection: Wear eye protection adequate to prevent eye contact with the product and injury if the products are used with flame. Plastic-frame spectacles with side shields and filters lenses (shade #3/#4) are recommended.

Skin Protection: Wear protective gloves and clothing to prevent skin injuries if the products are used with a flame and/or for prolonged or repeated contact with finely-divided forms of product. Avoid flammable fabrics.

Respiratory Protection: If an exposure level to a component(s) exceeds an applicable standard, use a NIOSH-approved respirator having a configuration (facepiece, filter media, assigned protection factor, etc.) effective for the concentration of the component(s) generated. For guidance on selection and use of respirators, consult American National Standard z88.2 (ANSI, New York, NY 10036, USA).

PREPARED BY: Raine Anderson

ORTHO ORGANIZERS

1822 Aston Avenue

Carlsbad, CA 92008 Telephone: 1-800-547-2000

9. Physical and chemical properties:

Appearance: White or light-yellow metals, carious forms

Odor: None

Odor threshold: Not Applicable

pH: Not Applicable

Melting Point: >1220F. /660C. Freezing Point: Not Applicable

Boiling Point/Boiling Range: Not determined

Flash Point: Not Applicable **Evaporation Rate:** Not Applicable Flammability Class: Not Applicable Lower Explosive Limits: Not Applicable **Upper Explosive Limits:** Not Applicable

Vapor Pressure: Not Applicable Vapor Density: Not Applicable Relative Density (H2O): 7.0-10.0 Solubility (H2O): Insoluble

Oil-water Partition Coefficient: Not Applicable

Auto-ignition Point: Not Applicable

Decomposition Temperature: Not Applicable

Viscosity: Not Applicable

10. Stability and reactivity:

Reactivity: None reasonably foreseeable

Stability: Stable

Hazardous Polymerization: Will not occur

Risk of Dangerous Reactions: See ôConditions to Avoidö

Conditions to Avoid: Silver and copper can form unstable acetylides in contact with acetylene gas. Incompatible Materials: Acetylene; ammonia; azides; nitric acid, halogens; ethylene imine; ethylene oxide; chlorine trifluoride; sulfuric acid; peroxides; peroxyformic acid; oxalic acid; tartaric acid; 1-bromo-2-propyne; permonosulfuric acid; hydrazine mononitrate; hydrazoic acid; hydrogen sulfide; bromates, chlorates, and iodates of alkali and alkali earth metals; hydroxylamine; selenium; tellurium; carbon disulfide; hydrazine; performic acid; phosphorus; sulfur; dioxane; titanium plus potassium chlorate. Hazardous Decomposition Products: Heating to elevated temperatures may liberate metal/metal oxide

fumes.

11. Toxicological information:

This product has not been subject to toxicological testing by the supplier/manufacturer.

Ingredients - Toxicological Data

Copper:

LD50: No data available LC50: No data available

Nickel:

LD50: 5,000 mg/kg (oral rat) LC50: No data available

Silver:

LD50: 2,000 mg/kg (oral/rat) LC50: No data available

Zinc:

LD50: No data available LC50: No data available

Primary Route(s) of Entry: Ingestion, inhalation

Eye Hazard: Eye contact with these products in finely-divided forms may cause irritation, conjunctivitis, ulceration of the cornea, and/or argyria, a permanent gray discoloration of the eyes, skin mucous membranes, and respiratory tract.

PREPARED BY: Raine Anderson Page 3 of 5 DOC#: SDS-M014 REVISION: E REVISION DATE: 8/15/14/2014 Part Number: 4104015, 4104025, 4104125GL

SDS-F-0001 REV B

ORTHO ORGANIZERS

1822 Aston Avenue

Carlsbad, CA 92008 Telephone: **1-800-547-2000**

Skin Hazard: Skin contact with these products, particularly in finely-divided forms, may cause irritation, argyria, discoloration, and contact or allergic dermatitis.

Ingestion Hazard: Ingestion of these products in finely-divided forms may cause nausea, vomiting, and gastrointestinal irritation.

Inhalation Hazard: Inhalation of toxicologically-significant quantities of the components is unlikely when the product is used in accordance with instructions and specified protective measures (see section #8). **Symptoms Related to Overexposure:** Pre-existing pulmonary diseases (e.g., bronchitis, asthma) may be aggravated by inhalation overexposure, particularly as fume.

Delayed Effects from Long Term Overexposure: Chronic overexposure by inhalation and/or ingestion may aggravate pre-existing diseases of the liver, kidneys, and gastrointestinal and respiratory systems. **Carcinogenicity:** Nickel is classified as a potential human carcinogen by IARC (ô2bö, possibly carcinogenic to humans) and NTP (ôkö, known to be a human carcinogen). Exposure to some compounds of nickel has been shown to increase the risk of various cancers, although these effects have not been demonstrated among individuals occupationally exposed only to nickel metal. ACGIH classifies nickel metal as ôA5ö (not suspected as a human carcinogen).

Germ Cell Mutagenicity: The product contains no chemicals determined to be germ cell mutagens. **Reproductive Effects:** The product contains no chemicals determined to be damaging to fertility for the unborn child.

Acute Toxicity Estimates:

- **LD50 (oral):** >2.000 mg/kg
- **LD50 (dermal):** No data available
- LC50: No data available

Interactive Effects of Component: No data available

12. Ecological information:

No ecological data is available for the product. Available ecological data for the components is as follows: **Copper:** No data available for Aquatic Toxicity to Fish and Invertebrates, Aquatic Toxicity to Plants and Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, Mobility in soil.

Nickel:

- Aquatic Toxicity: LC50 > 100 mg/liter for 4 d. (Freshwater fish)
- Aquatic Toxicity: EC50 > 100 mg/liter for 48 hrs. (Daphnia)
- **Aquatic Toxicity:** EC50 = 0.18 mg/liter for 3 d. (Algae)

No data available for Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.

Silver: No data available for Aquatic Toxicity to Fish and Invertebrates, Aquatic Toxicity to Plants and Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, Mobility in Soil.

Zinc: No data available for Aquatic Toxicity to Fish and Invertebrates, Aquatic Toxicity to Plants and Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, Mobility in Soil. Ozone Depletion Potential: This product contains no ingredients listed in the Annexes to the Montr al Protocol on Substances that Deplete the Ozone Layer.

13. Disposal considerations:

Do not discharge waste product into sanitary or storm sewers or allow it to contaminate soil. Consult applicable Federal, State/Provincial, and local regulations.

14. Transport information:

PREPARED BY: Raine Anderson

Transport is not regulated by ISDOT, TDG (Canada), IATA, or IMO.

ORTHO ORGANIZERS

1822 Aston Avenue

Carlsbad, CA 92008 Telephone: 1-800-547-2000

15. Regulatory information:

United States Regulatory Information: All components of this product are listed on the EPS's TSCA inventory.

SARA Hazard Classes: Chronic Health Hazard

SARA Section 313 Notification: These products contain these components subject to the requirements of Section 313 of the Emergency Preparedness and Community Right-to-Know Act (EPCRA) of 1986 and of 40CFR, Part 372:

- 1. Copper (CASRN 7440-50-8)
- 2. Nickel (CASRN 7440-02-0)
- 3. Silver (CASRN 7440-02-0)

Canadian Regulatory Information: All components of these products are listed on either the Domestic Substances

List (DSL) or the Nondomestic Substances List (NDSL).

WHMIS Class(es) and Division(s): D2A, D2B **Components on Ingredients Disclosure List:**

- 1. Copper, elemental (CASRN 7440-50-8)
 - 2. Nickel, elemental (CASRN 7440-02-0)
 - 3. Silver, elemental (CASRN 7440-22-4)

This product has been classified according to the hazard criteria of the CPR and this SDS contains all of the information required by the CPR.

16. Other information:

HMIS Ratings:

- **Health:** 2* (moderate chronic hazard)
- Flammability: 1 (Slight Hazard)
- Physical Hazard: 1 (Slight Hazard)
- PPE: See Note

Note: Ortho Organizers recommends use of protective eyewear and gloves (Personal Protection Index "B") as standard PPE. HMIS recommends that its ratings be used only in conjunction with dully implemented HMIS program, and that specific PPE codes be created by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

NFPA Ratings:

Health - 2Flammability – 1 Reactivity - 1

Disclaimer: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

SDS-F-0001 REV B